

Vicon's 2006 Price List

Alpha-Numeric Order

Model	Product Code	Country Code	Description	SIN	User	GSA
"-F" Option	"-30" Option	A	FIBER OPTIC OPTION; for SurveyorVFT Domes. Add "-F" suffix to any SurveyorVFT dome model number and substitute "-30" at the end of the product code. (ex: SVFT-C22-F (8701-30)). Use with VF-1400 series fiber receivers only (found in Fiber optic section)	246-42 (1)	\$ 990	\$ 622
"-F" Pressurized Option	"-30" Option	A	FIBER OPTIC OPTION; for SurveyorVFT Pressurized Domes. Add "-F" suffix to any SurveyorVFT Pressurized dome model number and substitute "-30" at the end of the product code. (ex: SVFT-PR23-F (8769-30)). Use with VF-1400 series fiber receivers only (found in fiber optic section)	246-42 (1)	\$ 1,865	\$ 1,172
"-T" Option	"-40" Option	A	NVT TWISTED PAIR OPTION; for SurveyorVFT Domes. Add "-T" suffix to any SurveyorVFT dome model number and substitute "-40" at the end of the product code. (ex: SVFT-C22-T (8701-40))	246-42 (1)	\$ 42	\$ 26
"-T" Pressurized Option	"-40" Option	A	NVT TWISTED PAIR OPTION; for SurveyorVFT Pressurized Domes. Add "-T" suffix to any SurveyorVFT Pressurized dome model number and substitute "-40" at the end of the product code. (ex: SVFT-PR23-T (8769-40))	246-42 (1)	\$ 42	\$ 26
"-V3" Option	"-25" Option	A	VICONNET TCP/IP OPTION; for SurveyorVFT Domes. Add "-V3" suffix to any SurveyorVFT dome model number and substitute "-25" at the end of the product code. (ex: SVFT-C22 (8701-00) becomes SVFT-C22-V3 (8701-25))	246-42 (1)	\$ 937	\$ 589
"-V3" Pressurized Option	"-25" Option	A	VICONNET TCP/IP OPTION; for SurveyorVFT Pressurized Domes. Add "V3-V" suffix to any SurveyorVFT Pressurized dome model number and substitute "-25" at the end of the product code. (ex: SVFT-PR23 (8769-00) becomes SVFT-PR23-V3 (8769-25))	246-42 (1)	\$ 1,355	\$ 852
AUR2K-DC3	6907-00	C	16-CHANNEL COLOR DUPLEX MULTIPLEXER; 30 images per second live view refresh	246-42 (1)	\$ 2,802	\$ 1,762
AUR2K-DC3C	7433-00	C	16-CHANNEL COLOR DUPLEX MULTIPLEXER; 30 images per second live view refresh; includes looping cables	246-42 (1)	\$ 2,865	\$ 1,801
AUR2K-DC6	6908-00	C	16-CHANNEL COLOR DUPLEX MULTIPLEXER; 60 images per second live view refresh	246-42 (1)	\$ 3,115	\$ 1,958
AUR2K-DC6C	7434-00	C	16-CHANNEL COLOR DUPLEX MULTIPLEXER; 60 images per second live view refresh; includes looping cables	246-42 (1)	\$ 3,177	\$ 1,997
AUR2K-KBD	7552-00	E	REMOTE KEYBOARD; provides control for up to 16 AurorA2000 or AurorAcorD unit and 16 VCRs	246-42(1)	\$ 823	\$ 518
AUR2K-KBD	7552-00	E	REMOTE KEYBOARD; provides control for up to 16 AurorAcorD or AurorA2000 unit and 16 VCRs	246-42 (1)	\$ 823	\$ 517
AUR2K-SC3	6904-00	C	16-CHANNEL COLOR SIMPLEX MULTIPLEXER; 30 images per second live view refresh	246-42 (1)	\$ 2,073	\$ 1,303
AUR2K-SC3C	7430-00	C	16-CHANNEL COLOR SIMPLEX MULTIPLEXER; 30 images per second live view refresh; includes looping cables	246-42 (1)	\$ 2,135	\$ 1,342
AURC-CD320	8198-00	C	AURORACORD DIGITAL VIDEO MULTIPLEXER & RECORDER; 30 fps, 16-channel, color, duplex, includes CD drive and two 160 GB HDDs	246-42(1)	\$ 4,496	\$ 2,826
AURC-CD500	8346-00	C	AURORACORD DIGITAL VIDEO MULTIPLEXER & RECORDER; 30 fps, 16-channel, color, duplex, includes CD drive and two 250 GB HDDs	246-42(1)	\$ 5,125	\$ 3,222
AURC-FCD160	8036-00	C	AURORACORD DIGITAL VIDEO MULTIPLEXER & RECORDER; 30 fps, 16-channel, color, duplex, includes floppy drive, CD drive and 160 GB HDD	246-42(1)	\$ 3,948	\$ 2,482
AURC-FCD80	7703-00	C	AURORACORD DIGITAL VIDEO MULTIPLEXER & RECORDER; 30 fps, 16-channel, color, duplex, includes floppy drive, CD drive and 80 GB HDD	246-42(1)	\$ 3,734	\$ 2,347
CAT5e-PATCH-10	7789-00	A	CABLE; 10 ft patch 5 cable	246-42(1)	\$ 47	\$ 30
KE120M-1200	8950-00	A	KOLLECTOR ELITE HYBRID DIGITAL NETWORK VIDEO RECORDER; preloaded ViconNet Ver 3, 16-channel networked digital video recorder, 16-channel audio, 16 x 4 analog video matrix, 120 fps, 1200 GB HDD	246-42(1)	\$ 16,240	\$ 10,210
KE120M-1600	8996-00	A	KOLLECTOR ELITE HYBRID DIGITAL NETWORK VIDEO RECORDER; preloaded ViconNet Ver 3, 16-channel networked digital video recorder, 16-channel audio, 16 x 4 analog video matrix, 120 fps, 1600 GB HDD	246-42(1)	\$ 17,905	\$ 11,257
KE120M-250	8948-00	A	KOLLECTOR ELITE HYBRID DIGITAL NETWORK VIDEO RECORDER; preloaded ViconNet Ver 3, 16-channel networked digital video recorder, 16-channel audio, 16 x 4 analog video matrix, 120 fps, 250 GB HDD	246-42(1)	\$ 12,489	\$ 7,852
KE120M-500	8993-00	A	KOLLECTOR ELITE HYBRID DIGITAL NETWORK VIDEO RECORDER; preloaded ViconNet Ver 3, 16-channel networked digital video recorder, 16-channel audio, 16 x 4 analog video matrix, 120 fps, 500 GB HDD	246-42(1)	\$ 13,739	\$ 8,638
KE120M-900	8949-00	A	KOLLECTOR ELITE HYBRID DIGITAL NETWORK VIDEO RECORDER; preloaded ViconNet Ver 3, 16-channel networked digital video recorder, 16-channel audio, 16 x 4 analog video matrix, 120 fps, 900 GB HDD	246-42(1)	\$ 14,990	\$ 9,424
KE240M-1200	8954-00	A	KOLLECTOR ELITE HYBRID DIGITAL NETWORK VIDEO RECORDER; preloaded ViconNet Ver 3, 16-channel networked digital video recorder, 16-channel audio, 16 x 4 analog video matrix, 240 fps, 1200 GB HDD	246-42(1)	\$ 19,788	\$ 12,440
KE240M-1600	8997-00	A	KOLLECTOR ELITE HYBRID DIGITAL NETWORK VIDEO RECORDER; preloaded ViconNet Ver 3, 16-channel networked digital video recorder, 16-channel audio, 16 x 4 analog video matrix, 240 fps, 1600 GB HDD	246-42(1)	\$ 21,451	\$ 13,486
KE240M-300	8952-00	A	KOLLECTOR ELITE HYBRID DIGITAL NETWORK VIDEO RECORDER; preloaded ViconNet Ver 3, 16-channel networked digital video recorder, 16-channel audio, 16 x 4 analog video matrix, 240 fps, 300 GB HDD	246-42(1)	\$ 16,032	\$ 10,079
KE240M-660	8995-00	A	KOLLECTOR ELITE HYBRID DIGITAL NETWORK VIDEO RECORDER; preloaded ViconNet Ver 3, 16-channel networked digital video recorder, 16-channel audio, 16 x 4 analog video matrix, 240 fps, 660 GB HDD	246-42(1)	\$ 17,281	\$ 10,864
KE240M-900	8953-00	A	KOLLECTOR ELITE HYBRID DIGITAL NETWORK VIDEO RECORDER; preloaded ViconNet Ver 3, 16-channel networked digital video recorder, 16-channel audio, 16 x 4 analog video matrix, 240 fps, 900 GB HDD	246-42(1)	\$ 18,531	\$ 11,650
KE480M-1200	8957-00	A	KOLLECTOR ELITE HYBRID DIGITAL NETWORK VIDEO RECORDER; preloaded ViconNet Ver 3, 16-channel networked digital video recorder, 16-channel audio, 16 x 4 analog video matrix, 480 fps, 1200 GB HDD	246-42(1)	\$ 23,575	\$ 14,821
KE480M-1600	8998-00	A	KOLLECTOR ELITE HYBRID DIGITAL NETWORK VIDEO RECORDER; preloaded ViconNet Ver 3, 16-channel networked digital video recorder, 16-channel audio, 16 x 4 analog video matrix, 480 fps, 1600 GB HDD	246-42(1)	\$ 25,283	\$ 15,895
KE480M-250	8956-00	A	KOLLECTOR ELITE HYBRID DIGITAL NETWORK VIDEO RECORDER; preloaded ViconNet Ver 3, 16-channel networked digital video recorder, 16-channel audio, 16 x 4 analog video matrix, 480 fps, 250 GB HDD	246-42(1)	\$ 20,034	\$ 12,595

Prices Effective February 15th, 2006

Page 1 of 11

Vicon's 2006 Price List

Alpha-Numeric Order

Model	Product Code	Country Code	Description	SIN	User	GSA
KNS120-40	8974-00	A	KOLLECTOR NETWORK SERVER; 16-channel networked digital video server, 120 fps, 40 GB HD, 4 sensor channels, NTSC/EIA and PAL/CCIR. Includes ViconNet software for local viewing of live and recorded video. Windows™ XP.	246-42(1)	\$ 6,239	\$ 3,922
KNS120-400	8975-00	A	KOLLECTOR NETWORK SERVER; 16-channel networked digital video server, 120 fps, 400 GB HD, 4 sensor channels, NTSC/EIA and PAL/CCIR. Includes ViconNet software for local viewing of live and recorded video. Windows™ XP.	246-42(1)	\$ 8,115	\$ 5,102
KNS120-800	8976-00	A	KOLLECTOR NETWORK SERVER; 16-channel networked digital video server, 120 fps, 800 GB HD, 4 sensor channels, NTSC/EIA and PAL/CCIR. Includes ViconNet software for local viewing of live and recorded video. Windows™ XP.	246-42(1)	\$ 10,406	\$ 6,542
KP120-1200	8924-00	A	KOLLECTOR PRO; preloaded ViconNet Ver 3, 16-channel networked digital video recorder, 120 fps, 1200 GB HDD	246-42(1)	\$ 13,000	\$ 8,173
KP120-250	8916-00	A	KOLLECTOR PRO; preloaded ViconNet Ver 3, 16-channel networked digital video recorder, 120 fps, 250 GB HDD	246-42(1)	\$ 8,823	\$ 5,547
KP120-500	8990-00	A	KOLLECTOR PRO; preloaded ViconNet Ver 3, 16-channel networked digital video recorder, 120 fps, 500 GB HDD	246-42(1)	\$ 10,073	\$ 6,333
KP120-900	8920-00	A	KOLLECTOR PRO; preloaded ViconNet Ver 3, 16-channel networked digital video recorder, 120 fps, 900 GB HDD	246-42(1)	\$ 11,740	\$ 7,381
KP120M-1200	8926-00	A	KOLLECTOR PRO; preloaded ViconNet Ver 3, 16-channel networked digital video recorder, 16 x 4 analog video matrix, 120 fps, 1200 GB HDD	246-42(1)	\$ 13,424	\$ 8,439
KP120M-250	8918-00	A	KOLLECTOR PRO; preloaded ViconNet Ver 3, 16-channel networked digital video recorder, 16 x 4 analog video matrix, 120 fps, 250 GB HDD	246-42(1)	\$ 9,247	\$ 5,813
KP120M-500	8989-00	A	KOLLECTOR PRO; preloaded ViconNet Ver 3, 16-channel networked digital video recorder, 16 x 4 analog video matrix, 120 fps, 500 GB HDD	246-42(1)	\$ 10,497	\$ 6,599
KP120M-900	8922-00	A	KOLLECTOR PRO; preloaded ViconNet Ver 3, 16-channel networked digital video recorder, 16 x 4 analog video matrix, 120 fps, 900 GB HDD	246-42(1)	\$ 12,164	\$ 7,647
KP240-1200	8936-00	A	KOLLECTOR PRO; preloaded ViconNet Ver 3, 16-channel networked digital video recorder, 240 fps, 1200 GB HDD	246-42(1)	\$ 16,738	\$ 10,523
KP240-320	8928-00	A	KOLLECTOR PRO; preloaded ViconNet Ver 3, 16-channel networked digital video recorder, 240 fps, 320 GB HDD	246-42(1)	\$ 12,990	\$ 8,167
KP240-900	8932-00	A	KOLLECTOR PRO; preloaded ViconNet Ver 3, 16-channel networked digital video recorder, 240 fps, 900 GB HDD	246-42(1)	\$ 15,489	\$ 9,738
KP240M-1200	8938-00	A	KOLLECTOR PRO; preloaded ViconNet Ver 3, 16-channel networked digital video recorder, 16 x 4 analog video matrix, 240 fps, 1200 GB HDD	246-42(1)	\$ 17,162	\$ 10,789
KP240M-320	8930-00	A	KOLLECTOR PRO; preloaded ViconNet Ver 3, 16-channel networked digital video recorder, 16 x 4 analog video matrix, 240 fps, 320 GB HDD	246-42(1)	\$ 13,414	\$ 8,433
KP240M-900	8934-00	A	KOLLECTOR PRO; preloaded ViconNet Ver 3, 16-channel networked digital video recorder, 16 x 4 analog video matrix, 240 fps, 900 GB HDD	246-42(1)	\$ 15,913	\$ 10,004
KP30-160	8900-00	A	KOLLECTOR PRO; preloaded ViconNet Ver 3, 16-channel networked digital video recorder, 30 fps, 160 GB HDD	246-42(1)	\$ 5,823	\$ 3,661
KP30-320	8986-00	A	KOLLECTOR PRO; preloaded ViconNet Ver 3, 16-channel networked digital video recorder, 30 fps, 320 GB HDD	246-42(1)	\$ 6,489	\$ 4,079
KP30-500	8904-00	A	KOLLECTOR PRO; preloaded ViconNet Ver 3, 16-channel networked digital video recorder, 30 fps, 500 GB HDD	246-42(1)	\$ 7,156	\$ 4,499
KP30M-160	8902-00	A	KOLLECTOR PRO; preloaded ViconNet Ver 3, 16-channel networked digital video recorder, 16 x 4 analog video matrix, 30 fps, 160 GB HDD	246-42(1)	\$ 6,247	\$ 3,927
KP30M-320	8985-00	A	KOLLECTOR PRO; preloaded ViconNet Ver 3, 16-channel networked digital video recorder, 16 x 4 analog video matrix, 30 fps, 320 GB HDD	246-42(1)	\$ 6,913	\$ 4,346
KP30M-500	8906-00	A	KOLLECTOR PRO; preloaded ViconNet Ver 3, 16-channel networked digital video recorder, 16 x 4 analog video matrix, 30 fps, 500 GB HDD	246-42(1)	\$ 7,580	\$ 4,766
KP60-250	8908-00	A	KOLLECTOR PRO; preloaded ViconNet Ver 3, 16-channel networked digital video recorder, 60 fps, 250 GB HDD	246-42(1)	\$ 7,073	\$ 4,447
KP60-400	8988-00	A	KOLLECTOR PRO; preloaded ViconNet Ver 3, 16-channel networked digital video recorder, 60 fps, 400 GB HDD	246-42(1)	\$ 7,906	\$ 4,970
KP60-660	8912-00	A	KOLLECTOR PRO; preloaded ViconNet Ver 3, 16-channel networked digital video recorder, 60 fps, 660 GB HDD	246-42(1)	\$ 8,740	\$ 5,494
KP60M-250	8910-00	A	KOLLECTOR PRO; preloaded ViconNet Ver 3, 16-channel networked digital video recorder, 16 x 4 analog video matrix, 60 fps, 250 GB HDD	246-42(1)	\$ 7,497	\$ 4,713
KP60M-400	8987-00	A	KOLLECTOR PRO; preloaded ViconNet Ver 3, 16-channel networked digital video recorder, 16 x 4 analog video matrix, 60 fps, 400 GB HDD	246-42(1)	\$ 8,330	\$ 5,237
KP60M-660	8914-00	A	KOLLECTOR PRO; preloaded ViconNet Ver 3, 16-channel networked digital video recorder, 16 x 4 analog video matrix, 60 fps, 660 GB HDD	246-42(1)	\$ 9,164	\$ 5,761
KTX-4	8959-00	A	VICONNET 4-CHANNEL DIGITAL VIDEO SERVER; 120 fps, ViconNet Ver 3.0; audio input/output; power over Ethernet capable	246-42(1)	\$ 2,305	\$ 1,449
NETSWITCH-16	8495-00	A	NETWORK SWITCH; 16-channel LAN connections, 10/100, autosensing ports	246-42(1)	\$ 239	\$ 150
NETSWITCH-24	8495-10	A	NETWORK SWITCH; 24-channel LAN connections, 10/100/1000 autosensing ports	246-42(1)	\$ 1,198	\$ 753
NETSWITCH-8	7787-00	A	NETWORK SWITCH; 8-channel LAN connections, 10/100 autosensing ports	246-42(1)	\$ 170	\$ 107
S24PS	7027-00	A	POWER SUPPLY; 24 VAC output, 2.5 amps	246-42 (1)	\$ 35	\$ 22
S28PS-1	7029-10	A	POWER SUPPLY; 28 VAC output, 2.5 amps; for indoor SurveyorVFT Camera Domes	246-42 (1)	\$ 35	\$ 22
S28WPS-1	7030-10	A	POWER SUPPLY; 28 VAC output, 4 amps; for outdoor SurveyorVFT Camera Domes	246-42 (1)	\$ 52	\$ 33
SVFT-C22	8701-00	A	INDOOR/IN-CEILING, COLOR CAMERA DOME; includes variable-speed drive, in-ceiling metal housing, 22X high-sensitivity high-resolution color camera/lens with ExView™ technology and smoked lower dome	246-42 (1)	\$ 2,852	\$ 1,793
SVFT-C22CA	8741-00	A	IN-CEILING, COLOR CAMERA DOME; includes variable-speed drive, housing, 22X high-resolution color camera/lens and smoked lower dome	246-42 (1)	\$ 2,032	\$ 1,277
SVFT-C23	8702-00	A	INDOOR IN-CEILING DAY/NIGHT CAMERA DOME; includes variable-speed drive, in-ceiling metal housing, 23X day/night camera/lens with wide dynamic range and smoked lower dome	246-42 (1)	\$ 3,102	\$ 1,950
SVFT-C3312	8753-00	A	IN-CEILING FIXED CAMERA DOME; includes 1/3-in. ExView high-resolution color camera, 3.3-12 mm autoiris varifocal lens and smoked lower dome, 24 VAC	246-42 (1)	\$ 728	\$ 457
SVFT-CHR	8378-00	A	CHROME LOWER DOME; for SurveyorVFT indoor domes	246-42 (1)	\$ 156	\$ 98

Prices Effective February 15th, 2006

Page 2 of 11

Vicon's 2006 Price List

Alpha-Numeric Order

Model	Product Code	Country Code	Description	SIN	User	GSA
SVFT-GLD	8379-00	A	GOLD LOWER DOME; for SurveyorVFT indoor domes	246-42 (1)	\$ 239	\$ 150
SVFT-IC-KT	8374-00	A	IN-CEILING MOUNT KIT; for SurveyorVFT Camera Dome Systems	246-42 (1)	\$ 52	\$ 33
SVFT-IP-UPG	8752-00	A	UPGRADE KIT; converts non-IP SurveyorVFT domes to IP version	246-42 (1)	\$ 1,156	\$ 727
SVFT-M22	8747-00	A	IMPACT-RESISTANT CAMERA DOME; includes variable-speed drive, aluminium upper housing, lower polycarbonate dome and 22X high-resolution color camera/lens	246-42 (1)	\$ 2,593	\$ 1,630
SVFT-M22E	8748-00	A	IMPACT-RESISTANT CAMERA DOME; includes variable-speed drive, aluminium upper housing, lower polycarbonate dome and 22X high-sensitivity high-resolution color camera/lens with ExView™ technology	246-42 (1)	\$ 3,114	\$ 1,958
SVFT-M23	8749-00	A	IMPACT-RESISTANT CAMERA DOME; includes variable-speed drive, aluminium upper housing, lower polycarbonate dome and 23X high-resolution day/night color camera with wide dynamic range	246-42 (1)	\$ 3,364	\$ 2,115
SVFT-M35	9104-00	A	IMPACT-RESISTANT CAMERA DOME; includes variable-speed drive, aluminium upper housing, lower polycarbonate dome and 35X high-resolution day/night color camera with wide dynamic range and image stabilization	246-42 (1)	\$ 3,833	\$ 2,409
SVFT-P22	8704-00	A	INDOOR/PENDANT, COLOR CAMERA DOME; includes variable-speed drive; pendant upper housing, 22X high-sensitivity high-resolution color camera/lens with ExView technology and smoked lower dome	246-42 (1)	\$ 3,019	\$ 1,898
SVFT-P22CA	8742-00	A	INDOOR/PENDANT, COLOR CAMERA DOME; includes variable-speed drive, housing, 22X high-resolution color camera/lens and smoked lower dome	246-42 (1)	\$ 2,094	\$ 1,316
SVFT-P23	8705-00	A	INDOOR PENDANT DAY/NIGHT CAMERA DOME; includes variable-speed drive, pendant upper housing, 23X day/night camera/lens with wide dynamic range and smoked lower dome	246-42 (1)	\$ 3,268	\$ 2,055
SVFT-P3312	8754-00	A	PENDANT FIXED CAMERA DOME; includes 1/3-in. ExView high-resolution color camera, 3.3-12 mm autoiris varifocal lens and smoked lower dome; 24 VAC	246-42 (1)	\$ 789	\$ 496
SVFT-PRC12	8739-00	A	PRE-WIRED COAXIAL CABLE; for use with SurveyorVFT Pressurized Dome	246-42 (1)	\$ 365	\$ 229
SVFT-PRC12T	8740-00	A	PRE-WIRED TWISTED PAIR CABLE; for use with SurveyorVFT Pressurized Dome	246-42 (1)	\$ 533	\$ 335
SVFT-PR-P	8382-00	A	PIPE ADAPTER; for mounting SurveyorVFT Pressurized Domes to 1-1/2-in. diameter pipe	246-42 (1)	\$ 123	\$ 77
SVFT-PRS22E	8768-00	A	PRESSURIZED CAMERA DOME; includes variable-speed camera drive, 22X high-resolution color camera with ExView technology and cast aluminum upper housing with clear lower dome	246-42 (1)	\$ 3,937	\$ 2,475
SVFT-PRS23	8769-00	A	PRESSURIZED CAMERA DOME (DAY/NIGHT); includes variable-speed drive, 23X high-resolution day/night camera with wide dynamic range, cast aluminum upper housing and clear lower dome	246-42 (1)	\$ 4,187	\$ 2,632
SVFT-PRS35	9103-00	A	PRESSURIZED CAMERA DOME (DAY/NIGHT); includes variable-speed drive, 35X high-resolution day/night camera with wide dynamic range and image stabilization, cast aluminum upper housing and clear lower dome	246-42 (1)	\$ 4,656	\$ 2,927
SVFT-PR-WMA	8381-01	A	WALL MOUNT; for SurveyorVFT Pressurized Domes	246-42 (1)	\$ 206	\$ 130
SVFT-SMK	8377-00	A	SMOKED LOWER DOME; for SurveyorVFT indoor domes	246-42 (1)	\$ 72	\$ 46
SVFT-UCM	8351-00	A	CEILING MOUNT; indoor/outdoor, for SurveyorVFT Camera Dome Systems	246-42 (1)	\$ 52	\$ 33
SVFT-UCP	8373-00	A	CEILING PANEL SUPPORT; for SurveyorVFT Camera Dome Systems	246-42 (1)	\$ 82	\$ 51
SVFT-UPM-1	8348-10	A	UNIVERSAL PARAPET MOUNT; indoor/outdoor; for SurveyorVFT Camera Domes	246-42 (1)	\$ 331	\$ 208
SVFT-URM-1	8349-10	A	UNIVERSAL ROOF MOUNT; indoor/outdoor; for SurveyorVFT Camera Domes	246-42 (1)	\$ 540	\$ 339
SVFT-UWM	8352-00	A	WALL MOUNT; indoor/outdoor, for SurveyorVFT Camera Dome Systems	246-42 (1)	\$ 150	\$ 94
SVFT-W22	8707-00	A	OUTDOOR COLOR DOME; includes variable-speed drive, environmental housing, 22X high-sensitivity high-resolution color camera/lens with ExView technology and clear outer dome	246-42 (1)	\$ 3,102	\$ 1,950
SVFT-W22CA	8743-00	A	OUTDOOR VARIABLE-SPEED COLOR CAMERA DOME; includes camera drive, environmental housing, 22X high-resolution color camera/lens and clear outer dome	246-42 (1)	\$ 2,198	\$ 1,382
SVFT-W23	8708-00	A	OUTDOOR DAY/NIGHT CAMERA DOME; includes variable-speed drive, environmental housing, 23X high-resolution day/night camera/lens with wide dynamic range and clear outer dome	246-42 (1)	\$ 3,352	\$ 2,107
SVFT-W3312	8755-00	A	OUTDOOR FIXED CAMERA DOME; includes 1/3-in. ExView high-resolution color camera, 3.3-12 mm varifocal autoiris lens and clear lower dome 24 VAC	246-42 (1)	\$ 977	\$ 614
SVFT-W3312DN	8756-00	A	OUTDOOR FIXED CAMERA DOME; includes 1/4-in. high-resolution day/night camera, 3.3-12 mm varifocal autoiris lens and clear lower dome 24 VAC	246-42 (1)	\$ 1,102	\$ 693
SVFT-W35	9102-00	A	OUTDOOR DAY/NIGHT CAMERA DOME; includes variable-speed drive, environmental housing, 35X high-resolution day/night camera/lens with wide dynamic range and image stabilization and clear outer dome	246-42 (1)	\$ 3,819	\$ 2,401
SVFT-W550A	8737-00	A	OUTDOOR FIXED CAMERA DOME; includes 1/3-in. ExView high-resolution color camera, 5-50 mm varifocal autoiris lens and clear lower dome, 24 VAC	246-42 (1)	\$ 1,227	\$ 771
SVFT-WM	8350-00	A	WALL MOUNT; indoor/outdoor, short, for use SurveyorVFT Camera Dome Systems	246-42 (1)	\$ 100	\$ 63
V104X8-ICPS	4050-00	C	CONTROLS 104 CAMERAS AND 8 MONITORS; includes 1 switcher card cage, V1344SCPU-HDA internal CPU, programming keyboard and 9-inch monochrome monitor	246-42(1)	\$ 10,440	\$ 6,564
V10UM	1875-00	C	CEILING MOUNT; 20 lb load, steel, chrome plated, 11 in. long	246-42 (1)	\$ 65	\$ 41
V1100AWM	1876-06	C	WALL MOUNT; 7.5 lb load, molded plastic, mounts to junction box, 9 in. long	246-42 (1)	\$ 43	\$ 27
V110AWM	1946-00	C	WALL MOUNT; 20 lb load, aluminum, 10 in. long	246-42 (1)	\$ 37	\$ 23
V112X8-ICPS	4053-00	C	CONTROLS 112 CAMERAS AND 8 MONITORS; includes 1 switcher card cage, V1344SCPU-HDA internal CPU, programming keyboard and 9-inch monochrome monitor	246-42(1)	\$ 10,829	\$ 6,808
V120X8-ICPS	4056-00	C	CONTROLS 120 CAMERAS AND 8 MONITORS; includes 1 switcher card cage, V1344SCPU-HDA internal CPU, programming keyboard and 9-inch monochrome monitor	246-42(1)	\$ 11,219	\$ 7,053
V128X16A-IHCP	5322-30	C	CONTROLS 128 CAMERAS AND 16 MONITORS; includes 1 switcher card cage, internal V1466A CPU and titler, programming keyboard and 9-in. monochrome monitor	246-42(1)	\$ 9,813	\$ 6,169
V128X16-MX66A	8120-30	C	CONTROLS 128 CAMERAS AND 16 MONITORS; includes 1 switcher card cage and titling card cage	246-42(1)	\$ 14,105	\$ 8,867

Vicon's 2006 Price List

Alpha-Numeric Order

Model	Product Code	Country Code	Description	SIN	User	GSA
V128X32A-IHCPS	5323-30	C	CONTROLS 128 CAMERAS AND 32 MONITORS; includes 2 switcher card cages, internal V1466A CPU and titler, programming keyboard and 9-in. monochrome monitor	246-42(1)	\$ 14,381	\$ 9,041
V128X32A-IHCPS-S	7680-30	C	CONTROLS 128 CAMERAS AND 32 MONITORS; includes 1 switcher card cages, internal V1466A CPU and titler, programming keyboard and 9-in. monochrome monitor	246-42(1)	\$ 14,156	\$ 8,899
V128X32-MX66A	8121-30	C	CONTROLS 128 CAMERAS AND 32 MONITORS; includes 2 switcher card cages and titling card cage	246-42(1)	\$ 22,726	\$ 14,287
V128X48-MX66A	8122-30	C	CONTROLS 128 CAMERAS AND 48 MONITORS; includes 3 switcher card cages and titling card cage	246-42(1)	\$ 34,075	\$ 21,423
V128X64-MX66A	8123-30	C	CONTROLS 128 CAMERAS AND 64 MONITORS; includes 4 switcher card cages and titling card cage	246-42(1)	\$ 46,059	\$ 28,956
V128X8-ICPS	4059-00	C	CONTROLS 128 CAMERAS AND 8 MONITORS; includes 1 switcher card cage, V1344SCPU-HDA internal CPU, programming keyboard and 9-inch monochrome monitor	246-42(1)	\$ 11,609	\$ 7,298
V1300X-CA	4178-00	C	CABLE ADAPTER; 34-25 pin	246-42(1)	\$ 104	\$ 65
V1300X-DVC	3987-00	C	CONTROL KEYPAD; desk-top version, provides complete switching and control functions for camera stations with variable-speed and fixed-speed pan-and-tilt units	246-42(1)	\$ 1,665	\$ 1,047
V1300X-IA	4099-00	C	ALARM INTERFACE; accepts up to 32 custom alarm inputs	246-42(1)	\$ 958	\$ 602
V1300X-IA-EX	4399-00	C	ALARM INTERFACE; accepts up to 64 custom alarm inputs	246-42(1)	\$ 1,150	\$ 723
V1300X-PKA	5214-00	C	PROGRAMMING KEYBOARD; for V1344SCPU, V1466SCPU-A and V1500 CPUs	246-42(1)	\$ 158	\$ 99
V1300X-PKA	5214-00	C	PROGRAMMING KEYBOARD; for V1344SCPU, V1466SCPU-A, and V1500X-CPU	246-42(1)	\$ 158	\$ 99
V1300X-RCT	3764-00	C	BLANK REAR CLOSURE PANEL; for V1300X-TCC	246-42(1)	\$ 38	\$ 24
V1300X-RVC	3990-10	C	CONTROL KEYPAD; rack-mount version, provides complete switching and control functions for camera stations with variable-speed and fixed-speed pan-and-tilt units	246-42(1)	\$ 1,665	\$ 1,046
V1300X-TCC	3762-10	C	CARD CAGE; holds up to 16 V1300X-TDT circuit cards, each of which titles 2 monitor (32 monitors total per card cage)	246-42(1)	\$ 688	\$ 433
V1300X-TC-PS	3765-00	C	POWER SUPPLY; used in V1300X-TCC-1, 1 per card cage	246-42(1)	\$ 383	\$ 241
V1300X-TC-SL-1	4831-00	C	SLAVE MODULE; provides addressing for 32 monitors in additional V1300X-TCC card cage	246-42(1)	\$ 233	\$ 146
V1300X-TDT	3763-00	C	TIME/DATE/TITLER ASSEMBLY; circuit card provides time/date/titles for 2 monitors	246-42(1)	\$ 321	\$ 202
V1305R-DC1	5044-00	C	OUTDOOR VARIABLE-SPEED RECEIVER; for VIST25 pan-and-tilt, 120 VAC input, 24 VDC output to pan-and-tilt drives	246-42(1)	\$ 977	\$ 614
V1311RB-1WA	6153-00	C	OUTDOOR UNIVERSAL RECEIVER; 24 VAC input, 24 VAC output to pan-and-tilt drives, requires V1311R-VI-1 interface card for Vicoax control and V1311R-VPS-1 interface card for NOVA control.	246-42(1)	\$ 517	\$ 325
V1311RB-2WA	6154-00	C	OUTDOOR UNIVERSAL RECEIVER; 120 VAC input, 24 or 120 VAC output to pan-and-tilt drives, requires V1311R-VI-1 interface card for Vicoax control and V1311R-VP; 1 interface card for NOVA control.	246-42(1)	\$ 517	\$ 325
V1311R-VI-1	4790-00	C	VICOAX INTERFACE CARD; adapts V1311RB receiver for use with Vicoax transmitter	246-42(1)	\$ 192	\$ 121
V1311R-VPS-1	4789-00	C	INTERFACE CARD; internal board adapts V1311RB receivers for use with NOVA CPUs	246-42(1)	\$ 283	\$ 178
V1332AF-1	4385-10	C	RELAY / AUDIO-FOLLOW-VIDEO SWITCHER; mono, 32 inputs, for use with matrix switching systems	246-42(1)	\$ 1,042	\$ 655
V1344SCPU-HDA	5221-00	C	INTERNAL CPU FOR MATRIX SWITCHER CARD CAGE; controls video switcher, pan-and-tilt, lens and auxiliary functions. Controls matrix switching for up to 128 cameras and 24 monitors.	246-42(1)	\$ 1,583	\$ 995
V1344TDT-HD	4100-00	C	TIME/DATE/TITLER CARD; provides three lines for titling and one line for time and date. Used with V1344 CPU system only.	246-42(1)	\$ 479	\$ 301
V1400X-DJT	6182-00	A	DESKTOP JOYSTICK; for use with System Console	246-42(1)	\$ 373	\$ 234
V1400X-DVC-3	7602-00	A	SYSTEM CONSOLE; controls NOVA Matrix Systems, Aurora 2000 / AuroraAcord multiplexers and recorders and time-lapse VCRs	246-42(1)	\$ 2,081	\$ 1,308
V1400X-IDL	6825-00	C	DISTRIBUTION LINE CONTROL; provides up to 10 communication lines from CPU when used in star configuration	246-42(1)	\$ 933	\$ 587
V1400X-TDT-MA	6587-00	C	MASTER MODULE; provides addressing for 32 monitors and loop-through signaling for additional V1300X-TCC card cage	246-42(1)	\$ 229	\$ 144
V1400X-VLD	4763-00	A	VIDEO LOSS DETECTOR; accepts up to 256 camera inputs	246-42(1)	\$ 1,665	\$ 1,047
V1410X-DVC	7847-00	E	CONTROL KEYPAD; small profile desk-top, provides variable-speed joystick for pan-and-tilt control and push buttons for lens functions only; requires converter to work with workstations and older Kollektor Elites and Pros (see converter description)	246-42(1)	\$ 823	\$ 518
V1411J-DVC	7832-00	E	CONTROL KEYPAD; desk-top version, provides three-function variable-speed joystick for pan-and-tilt control and push buttons for lens functions only; requires converter to work with workstations and older Kollektor Elites and Pros (see converter description)	246-42(1)	\$ 1,240	\$ 779
V1411X-DVC	7518-00	E	CONTROL KEYPAD; desk-top version, provides variable-speed joystick for pan-and-tilt control and push buttons for lens functions only; requires converter to work with workstations and older Kollektor Elites and Pros (see converter description)	246-42(1)	\$ 1,031	\$ 648
V1422	6237-10	C	ADVANCED DIGITAL CONTROL AND MATRIX SWITCHER; 32 camera inputs, 8 monitor outputs. Full camera station control and matrix switching. NOVA and Vicoax compatible. Includes V1400VGC Windows-based configuration software.	246-42(1)	\$ 4,549	\$ 2,860
V1466ADCDB	8173-00	C	DECODER BOARD; for external CPU	246-42(1)	\$ 409	\$ 257
V1466ASCPU-A	6159-100	C	INTERNAL CPU FOR MATRIX 66 CARD CAGE; controls video switcher, pan-and-tilt, lens, and auxiliary functions. Controls matrix switching for up to 256 camera and 32 monitors.	246-42(1)	\$ 1,283	\$ 807

Vicon's 2006 Price List

Alpha-Numeric Order

Model	Product Code	Country Code	Description	SIN	User	GSA
V1466ATDTSHD-16	4807-10	C	TIME/DATE/TITLER CARD; provides advanced titling capability including sectors, presets and camera ID in addition to time and date. Used only with V1466ASCPU-A. For monitors 1-16.	246-42(1)	\$ 1,050	\$ 660
V1466ATDTSHD-32	4807-20	C	TIME/DATE/TITLER CARD; provides advanced titling capability including sectors, presets and camera ID in addition to time and date. Used only with V1466ASCPU-A. For monitors 17-32.	246-42(1)	\$ 1,656	\$ 1,041
V1500CDU-1	7715-00	A	NOVA 1500 COMMUNICATION DISTRIBUTION UNIT; configured to address 2046 cameras, 128 monitors, 32 keypads, one RS-232 port and monitor titling. Includes one network interface card and one power supply module.	246-42(1)	\$ 5,621	\$ 3,534
V1500CDU-ALRM	7223-00	A	NOVA 1500CDU ALARM MODULE; provides communication from V1500CDU to Vicon alarm devices	246-42(1)	\$ 640	\$ 402
V1500CDU-CC	7222-00	A	NOVA 1500CDU CHASSIS; includes one network interface card and power supply module. Must be populated with CDU personality modules.	246-42(1)	\$ 2,485	\$ 1,562
V1500CDU-H-1	7710-00	A	NOVA 1500 COMMUNICATION DISTRIBUTION UNIT; Internal Redundant Configuration; configured to address 2046 cameras, 128 monitors, 32 keypads, one RS-232 port and monitor titling. Includes redundant personality modules, power supplies and network cards for automatic switchover	246-42(1)	\$ 8,081	\$ 5,081
V1500CDU-HSB-ALRM	7230-00	A	NOVA 1500CDU REDUNDANT ALARM MODULE; provides internal redundant communication from V1500CDU to alarm devices	246-42(1)	\$ 1,176	\$ 740
V1500CDU-HSB-NET	7229-00	A	NOVA 1500CDU REDUNDANT NETWORK INTERFACE MODULE; provides internal network communication redundancy for the V1500CDU	246-42(1)	\$ 624	\$ 393
V1500CDU-HSB-POW	7228-00	A	NOVA 1500CDU REDUNDANT POWER SUPPLY MODULE; provides internal power redundancy for the V1500CDU	246-42(1)	\$ 307	\$ 193
V1500CDU-HSB-SER	7233-00	A	NOVA 1500CDU REDUNDANT SERIAL MODULE; provides internal redundant communication from V1500CDU to system keypads, receivers, host RS-232 devices	246-42(1)	\$ 1,139	\$ 716
V1500CDU-HSB-TDT	7231-00	A	NOVA 1500CDU REDUNDANT TIME/DATE/TITLER MODULE; provides internal redundant communication from V1500CDU to time/date/titler device	246-42(1)	\$ 1,159	\$ 729
V1500CDU-HSB-VID	7232-00	A	NOVA 1500CDU REDUNDANT VIDEO MODULE; provides internal redundant communication from V1500CDU to video matrix switcher	246-42(1)	\$ 1,181	\$ 742
V1500CDU-RCP	7227-00	A	NOVA 1500CDU REAR CLOSURE PANEL; closes un-populated slots in V1500CDU chassis	246-42(1)	\$ 15	\$ 10
V1500CDU-SER	7226-00	A	NOVA 1500CDU SERIAL MODULE; provides control communication between V1500CDU and Vicon system keypads/PTZ receivers or host RS-232 devices	246-42(1)	\$ 589	\$ 370
V1500CDU-TDT	7224-00	A	NOVA 1500CDU TIME/DATE/TITLER MODULE; provides control communication between V1500CDU and matrix time/date/titling devices	246-42(1)	\$ 632	\$ 397
V1500CDU-VID	7225-00	A	NOVA 1500CDU VIDEO MODULE; provides control communication between V1500CDU and matrix video switcher	246-42(1)	\$ 614	\$ 386
V1500CPU	7709-00	A	NOVA 1500 CENTRAL PROCESSING UNIT; includes internal graphic configurator, capable of addressing over 8000 camera and 500 monitor and keypad stations. Use with companion NOVA 1500-CDU Communication Distribution Unit and Matrix Switching Systems.	246-42(1)	\$ 7,687	\$ 4,833
V1500-KVM-CAB3	7636-10	A	CABLE; for use with V1500-KVM-R; connects additional PCs to V1500-KVM-R	246-42(1)	\$ 60	\$ 38
V1500-KVM-R	7634-00	A	MULTI-INPUT VGA MONITOR/KEYBOARD; used with V1500CPU, accepts 8 VGA inputs from multiple PCs, includes 2 PC cables. Rack mount only.	246-42(1)	\$ 6,458	\$ 4,060
V1501WM	2183-00	A	WALL MOUNT; for VM61514-5-MM and VM621-5-MM monitor mounts	246-42(1)	\$ 136	\$ 85
V1502CA	2184-00	A	CEILING MOUNT; for VM61514-5-MM and VM621-5-MM monitor mounts	246-42(1)	\$ 88	\$ 55
V15LPG	4615-00	A	SURGE PROTECTOR; protects video equipment from induced power surges in video lines	246-42(1)	\$ 54	\$ 34
V1600AH	2241-00	C	ADJUSTABLE HEAD; medium-duty, 60 lb capacity	246-42(1)	\$ 34	\$ 21
V1600WM	1891-00	A	WALL MOUNT; 40 lb load, aluminum, 16 in. long	246-42(1)	\$ 83	\$ 52
V16X8-ICPS	4017-00	C	CONTROLS 16 CAMERAS AND 8 MONITORS; includes 1 switcher card cage, V1344SCPU-HDA internal CPU, programming keyboard and 9-inch monochrome monitor	246-42(1)	\$ 4,989	\$ 3,136
V192X16A-IHCPS	5326-30	C	CONTROLS 192 CAMERAS AND 16 MONITORS; includes 1 switcher card cage, internal V1466A CPU and titler, programming keyboard and 9-in. monochrome monitor	246-42(1)	\$ 10,357	\$ 6,511
V192X16-MX66A	8128-30	C	CONTROLS 192 CAMERAS AND 16 MONITORS; includes 1 switcher card cage and titling card cage	246-42(1)	\$ 17,758	\$ 11,164
V192X32A-IHCPS	5327-30	C	CONTROLS 192 CAMERAS AND 32 MONITORS; includes 2 switcher card cages, internal V1466A CPU and titler, programming keyboard and 9-in. monochrome monitor	246-42(1)	\$ 16,352	\$ 10,280
V192X32-MX66A	8129-30	C	CONTROLS 192 CAMERAS AND 32 MONITORS; includes 2 switcher card cages and titling card cage	246-42(1)	\$ 28,513	\$ 17,926
V192X48-MX66A	8130-30	C	CONTROLS 192 CAMERAS AND 48 MONITORS; includes 3 switcher card cages and titling card cage	246-42(1)	\$ 43,404	\$ 27,287
V192X64-MX66A	8131-30	C	CONTROLS 192 CAMERAS AND 64 MONITORS; includes 4 switcher card cages and titling card cage	246-42(1)	\$ 53,021	\$ 33,333
V2.7-8VF-CS-G	6589-10	B	VARIFOVAL; 2.7-8 mm, f/1.0, autoiris	246-42(1)	\$ 146	\$ 92
V2.8-12VF-CS-G	8305-00	B	VARIFOVAL; 2.8-12 mm, f/1.2, autoiris	246-42(1)	\$ 148	\$ 93
V2.8-12VFI	8304-00	B	VARIFOVAL; 2.8-12 mm, f/1.2, adjustable iris	246-42(1)	\$ 108	\$ 68
V2.8-6VFI	6588-00	B	VARIFOVAL; 2.8-6 mm, f/1.4, adjustable iris	246-42(1)	\$ 108	\$ 68
V20B	3691-10	A	POLE MOUNT ADAPTER; for 4-10 in. diameter poles; painted aluminum construction no mounting straps	246-42(1)	\$ 143	\$ 90
V20B-A	3691-11	A	POLE MOUNT ADAPTER; for 4-10 in. diameter poles; painted aluminum construction includes mounting straps	246-42(1)	\$ 197	\$ 124
V210DA	2780-10	C	DISTRIBUTION AMPLIFIER; one input, six outputs, Phase 8	246-42(1)	\$ 185	\$ 116
V210DA-B	2770-00	C	DISTRIBUTION AMPLIFIER; one input, six outputs, desk-top	246-42(1)	\$ 185	\$ 116
V212-NVT	7631-00	A	VIDEO TRANSCEIVER; transmits or receives video and Vicoax data up to 500 ft over twisted-pair wire (can be used as receiver for UTP camera domes)	246-42(1)	\$ 111	\$ 70
V213-NVT	6518-00	A	VIDEO TRANSCEIVER; transmits or receives video and Vicoax data up to 1000 ft over twisted-pair wire (can be used as receiver for UTP camera domes)	246-42(1)	\$ 165	\$ 104
V22PA	1931-00	A	POLE MOUNT FOR 3 - 4 IN. DIAMETER POLES; medium duty, use with V1600WM and V2000WM wall mounts	246-42(1)	\$ 156	\$ 98

Vicon's 2006 Price List

Alpha-Numeric Order

Model	Product Code	Country Code	Description	SIN	User	GSA
V235GLTA	2790-00	C	PASSIVE GROUND LOOP CORRECTION TRANSFORMER; single channel, for Vicoax	246-42 (1)	\$ 143	\$ 90
V2400AH	1958-00	A	ADJUSTABLE HEAD; medium-to heavy-duty, 100 lb capacity	246-42 (1)	\$ 105	\$ 66
V2416-600PS	8437-00	A	POWER SUPPLY; sixteen-channel, 120 VAC input, 24/28 VAC output, 25/20 amps (total)	246-42 (1)	\$ 456	\$ 287
V2416-8PS	7669-00	A	POWER SUPPLY; sixteen channel, converts 120 VAC to 24 VAC; 0.5 amps/ channel; used for fixed cameras with isolation	246-42 (1)	\$ 407	\$ 256
V2448-175PS	6410-20	A	POWER SUPPLY; four-channel, 120 VAC input, 24/28 VAC output, 7/6.25 amps (total)	246-42 (1)	\$ 207	\$ 130
V248-3.5PS	7668-00	A	POWER SUPPLY; 8-channel, converts 120 VAC to 24 VAC; 0.4 amps/channel; used for fixed cameras with isolation	246-42 (1)	\$ 219	\$ 138
V248-300PS	6422-10	A	POWER SUPPLY; eight-channel, 120 VAC input, 24/28 VAC output, 12.5/10 amps (total)	246-42 (1)	\$ 268	\$ 169
V248-600PS	8438-00	A	POWER SUPPLY; eight-channel, 120 VAC input, 24 VAC output, 25 amps (total)	246-42 (1)	\$ 308	\$ 194
V24CMB	1971-00	C	OUTSIDE CORNER MOUNT BRACKET; for V24WM and Surveyor series wall mounts	246-42 (1)	\$ 85	\$ 53
V24WM	1930-00	C	WALL MOUNT; 200 lb load, steel, 24 in. long	246-42 (1)	\$ 94	\$ 59
V24WM-SS	1930-10	C	WALL MOUNT; 200 lb load, stainless steel, 24 in. long	246-42 (1)	\$ 310	\$ 195
V24X8-ICPS	4020-00	C	CONTROLS 24 CAMERAS AND 8 MONITORS; includes 1 switcher card cage, V1344SCPU-HDA internal CPU, programming keyboard and 9-inch monochrome monitor	246-42(1)	\$ 5,906	\$ 3,713
V256X16A-IHCPS	5330-30	C	CONTROLS 256 CAMERAS AND 16 MONITORS; includes 1 switcher card cage, internal V1466A CPU and titler, programming keyboard and 9-in. monochrome monitor	246-42(1)	\$ 12,773	\$ 8,030
V256X16-MX66A	8136-30	C	CONTROLS 256 CAMERAS AND 16 MONITORS; includes 1 switcher card cage and titling card cage	246-42(1)	\$ 21,309	\$ 13,396
V256X32A-IHCPS	5331-30	C	CONTROLS 256 CAMERAS AND 32 MONITORS; includes 2 switcher card cages, internal V1466A CPU and titler, programming keyboard and 9-in. monochrome monitor	246-42(1)	\$ 18,862	\$ 11,858
V256X32-MX66A	8137-30	C	CONTROLS 256 CAMERAS AND 32 MONITORS; includes 2 switcher card cages and titling card cage	246-42(1)	\$ 33,758	\$ 21,223
V256X48-MX66A	8138-30	C	CONTROLS 256 CAMERAS AND 48 MONITORS; includes 3 switcher card cages and titling card cage	246-42(1)	\$ 51,095	\$ 32,123
V256X64-MX66A	8139-30	C	CONTROLS 256 CAMERAS AND 64 MONITORS; includes 4 switcher card cages and titling card cage	246-42(1)	\$ 66,546	\$ 41,836
V3.5-8VF-CS-G-4	5828-00	B	VARIFOVAL; 3.5-8 mm, f/1.4, autoiris	246-42 (1)	\$ 123	\$ 78
V3.5-8VFI-2	5827-00	B	VARIFOVAL; 3.5-8 mm, f/1.4, adjustable iris	246-42 (1)	\$ 94	\$ 59
V3030APT	0123-00	C	7.5 LB LOAD; indoor, with integral wall mount	246-42 (1)	\$ 352	\$ 221
V3030APT-SB	0124-00	C	7.5 LB LOAD; indoor, with square base for mounting on horizontal surfaces	246-42 (1)	\$ 352	\$ 221
V320X16-MX66A	8144-30	C	CONTROLS 320 CAMERAS AND 16 MONITORS; includes 1 switcher card cage and titling card cage	246-42(1)	\$ 30,312	\$ 19,057
V320X32-MX66A	8145-30	C	CONTROLS 320 CAMERAS AND 32 MONITORS; includes 2 switcher card cages and titling card cage	246-42(1)	\$ 49,800	\$ 31,309
V320X48-MX66A	8146-30	C	CONTROLS 320 CAMERAS AND 48 MONITORS; includes 3 switcher card cages and titling card cage	246-42(1)	\$ 73,501	\$ 46,208
V320X64-MX66A	8147-30	C	CONTROLS 320 CAMERAS AND 64 MONITORS; includes 4 switcher card cages and titling card cage	246-42(1)	\$ 98,280	\$ 61,786
V32X8-ICPS	4023-00	C	CONTROLS 32 CAMERAS AND 8 MONITORS; includes 1 switcher card cage, V1344SCPU-HDA internal CPU, programming keyboard and 9-inch monochrome monitor	246-42(1)	\$ 6,136	\$ 3,857
V3400APT-1	4742-00	C	10 LB LOAD; outdoor	246-42 (1)	\$ 727	\$ 457
V3400SB	0166-00	C	SQUARE BASE OPTION; for V3400APT-1	246-42 (1)	\$ 52	\$ 33
V380PTX-S-VPP	7158-00	C	80 LB LOAD; explosionproof; meets IEC class IIC rating requirements (minimum 25 pieces order required)	246-42 (1)	\$ 6,240	\$ 3,923
V384X16-MX66A	8152-30	C	CONTROLS 384 CAMERAS AND 16 MONITORS; includes 1 switcher card cage and titling card cage	246-42(1)	\$ 33,904	\$ 21,315
V384X32-MX66A	8153-30	C	CONTROLS 384 CAMERAS AND 32 MONITORS; includes 2 switcher card cages and titling card cage	246-42(1)	\$ 54,984	\$ 34,567
V384X48-MX66A	8154-30	C	CONTROLS 384 CAMERAS AND 48 MONITORS; includes 3 switcher card cages and titling card cage	246-42(1)	\$ 82,729	\$ 52,010
V384X64-MX66A	8155-30	C	CONTROLS 384 CAMERAS AND 64 MONITORS; includes 4 switcher card cages and titling card cage	246-42(1)	\$ 108,367	\$ 68,128
V390APT	0170-00	C	80 LB LOAD; outdoor	246-42 (1)	\$ 2,077	\$ 1,306
V390APT-PP	0170-03	C	80 LB LOAD; outdoor, with preset operation	246-42 (1)	\$ 2,479	\$ 1,558
V4.0-1.2CS-G-3	4734-00	B	WIDE ANGLE; 4 mm, f/1.2	246-42 (1)	\$ 123	\$ 78
V4.5H-12-1	4295-00	C	SMALL; one-piece extruded aluminum with plastic end caps	246-42 (1)	\$ 120	\$ 76
V4.5H-15-1	4296-00	C	MEDIUM; one-piece extruded aluminum with plastic end caps	246-42 (1)	\$ 123	\$ 78
V40X8-ICPS	4026-00	C	CONTROLS 40 CAMERAS AND 8 MONITORS; includes 1 switcher card cage, V1344SCPU-HDA internal CPU, programming keyboard and 9-inch monochrome monitor	246-42(1)	\$ 6,708	\$ 4,217
V422-CONV	6649-10	A	RS-232 /RS-422 INTERFACE CONVERTER; required to allow matrix keyboard to work with all PC workstations and Kollector Elites and Pros with older version hardware backpanels (with RJ-45 connectors)	246-42(1)	\$ 250	\$ 157
V422-VI	7255-00	A	VICOAX TRANSLATOR; converts Vicon RS-422 PTZ commands to Vicoax, 16 channels	246-42(1)	\$ 933	\$ 587
V4400QS-1	7137-04	C	REAL-TIME COLOR QUAD SPLITTER; displays four cameras on one monitor; full-featured with alarms, titling, freeze, full-screen sequential switching and on-screen programming	246-42 (1)	\$ 823	\$ 517
V4410S-HD	4164-00	C	VIDEO SWITCH CARD; switching and decoding circuitry for eight camera inputs. Connector panel V4411RP-BNC or V4411RP-RIB ordered separately.	246-42(1)	\$ 365	\$ 229
V4411RP-BNC	4641-00	C	REAR CONNECTOR PANEL; 8 BNC connectors, 1 ribbon cable connector. Use with V4410S-HD.	246-42(1)	\$ 108	\$ 68
V4411RP-RIB	4640-00	C	REAR CONNECTOR PANEL; 2 ribbon cable connectors. Use with V4410S-HD.	246-42(1)	\$ 92	\$ 58

Vicon's 2006 Price List

Alpha-Numeric Order

Model	Product Code	Country Code	Description	SIN	User	GSA
V4430ADEC-HD	0379-00	C	ADDRESS DECODER; decodes CPU control signal. One required for each V4481SCC-HD. If system uses V1344SCPU-HD, eliminate one V4430ADEC-HD.	246-42(1)	\$ 458	\$ 288
V4441SEXP-HD	4625-00	C	EXPANDER CARD; for systems with more than 128 camera inputs. One required for each camera expansion card cage.	246-42(1)	\$ 596	\$ 375
V4450RCP-HD	0381-00	C	BLANK REAR CLOSURE PANEL; for V4481SCC-HD	246-42(1)	\$ 25	\$ 16
V4481SCC-HD	4622-10	C	CARD CAGE (128 x 8); contains power supply, video output amplifier, and motherboard for up to 16 V4410S-HD video switching cards	246-42(1)	\$ 2,296	\$ 1,443
V448X16-MX66A	8160-30	C	CONTROLS 448 CAMERAS AND 16 MONITORS; includes 1 switcher card cage and titling card cage	246-42(1)	\$ 37,516	\$ 23,586
V448X32-MX66A	8161-30	C	CONTROLS 448 CAMERAS AND 32 MONITORS; includes 2 switcher card cages and titling card cage	246-42(1)	\$ 60,292	\$ 37,904
V448X48-MX66A	8162-30	C	CONTROLS 448 CAMERAS AND 48 MONITORS; includes 3 switcher card cages and titling card cage	246-42(1)	\$ 90,420	\$ 56,845
V448X64-MX66A	8163-30	C	CONTROLS 448 CAMERAS AND 64 MONITORS; includes 4 switcher card cages and titling card cage	246-42(1)	\$ 118,608	\$ 74,567
V44RC-21-1	4639-00	C	21-INCH COAXIAL RIBBON CABLE; for distributing video between V4410S-HD cards	246-42(1)	\$ 25	\$ 16
V44RCB-12-1	4637-00	C	12-INCH COAXIAL RIBBON CABLE ASSEMBLY; for distributing video signals from V4410S-HD switcher cards to external devices. Terminated with eight BNCs.	246-42(1)	\$ 123	\$ 77
V48X8-ICPS	4029-00	C	CONTROLS 48 CAMERAS AND 8 MONITORS; includes 1 switcher card cage, V1344SCPU-HDA internal CPU, programming keyboard and 9-inch monochrome monitor	246-42(1)	\$ 7,084	\$ 4,454
V512X16-MX66A	8168-30	C	CONTROLS 512 CAMERAS AND 16 MONITORS; includes 1 switcher card cage and titling card cage	246-42(1)	\$ 41,175	\$ 25,886
V512X32-MX66A	8169-30	C	CONTROLS 512 CAMERAS AND 32 MONITORS; includes 2 switcher card cages and titling card cage	246-42(1)	\$ 65,533	\$ 41,199
V512X48-MX66A	8170-30	C	CONTROLS 512 CAMERAS AND 48 MONITORS; includes 3 switcher card cages and titling card cage	246-42(1)	\$ 98,217	\$ 61,747
V512X64-MX66A	8171-30	C	CONTROLS 512 CAMERAS AND 64 MONITORS; includes 4 switcher card cages and titling card cage	246-42(1)	\$ 129,008	\$ 81,105
V515R-PS	7214-00	A	15-CHANNEL RACK; includes 6 amp power supply	246-42(1)	\$ 1,304	\$ 820
V517E-PS	7216-00	A	HIGH-OUTPUT POWER SUPPLY; 19-in. EIA rack mount, powers two V517R-PS racks	246-42(1)	\$ 1,318	\$ 829
V517R-PS	7215-00	A	17 CHANNEL RACK; use with V517E-PS	246-42(1)	\$ 516	\$ 325
V5-50VF-CS-G	7731-00	B	VARIFOCAL; 5-50 mm, f/1.3, autoiris	246-42(1)	\$ 281	\$ 176
V5-50VFI	7738-00	B	VARIFOCAL; 5-50 mm, f/1.3,adjustable iris	246-42(1)	\$ 230	\$ 144
V56X8-ICPS	4032-00	C	CONTROLS 56 CAMERAS AND 8 MONITORS; includes 1 switcher card cage, V1344SCPU-HDA internal CPU, programming keyboard and 9-inch monochrome monitor	246-42(1)	\$ 7,469	\$ 4,696
V64X16A-IHCPS	5318-30	C	CONTROLS 64 CAMERAS AND 16 MONITORS; includes 1 switcher card cage, internal V1466A CPU and titler, programming keyboard and 9-in. monochrome monitor	246-42(1)	\$ 7,912	\$ 4,974
V64X16-MX66A	8112-30	C	CONTROLS 64 CAMERAS AND 16 MONITORS; includes 1 switcher card cage and titling card cage	246-42(1)	\$ 9,902	\$ 6,225
V64X32A-IHCPS	5319-30	C	CONTROLS 64 CAMERAS AND 32 MONITORS; includes 2 switcher card cages, internal V1466A CPU and titler, programming keyboard and 9-in. monochrome monitor	246-42(1)	\$ 13,329	\$ 8,380
V64X32A-IHCPS-S	7678-30	C	CONTROLS 64 CAMERAS AND 32 MONITORS; includes 1 switcher card cages, internal V1466A CPU and titler, programming keyboard and 9-in. monochrome monitor	246-42(1)	\$ 9,990	\$ 6,281
V64X32-MX66A	8113-30	C	CONTROLS 64 CAMERAS AND 32 MONITORS; includes 2 switcher card cages and titling card cage	246-42(1)	\$ 17,908	\$ 11,258
V64X48-MX66A	8114-30	C	CONTROLS 64 CAMERAS AND 48 MONITORS; includes 3 switcher card cages and titling card cage	246-42(1)	\$ 27,917	\$ 17,551
V64X64-MX66A	8115-30	C	CONTROLS 64 CAMERAS AND 64 MONITORS; includes 4 switcher card cages and titling card cage	246-42(1)	\$ 35,813	\$ 22,515
V64X8-ICPS	4035-00	C	CONTROLS 64 CAMERAS AND 8 MONITORS; includes 1 switcher card cage, V1344SCPU-HDA internal CPU, programming keyboard and 9-inch monochrome monitor	246-42(1)	\$ 7,969	\$ 5,010
V652R-NVT	7453-00	A	VIDEO RECEIVER; receives video from V213-NVT transmitter up to 3000 ft over twisted-pair wire (can be used as receiver for UTP camera domes)	246-42(1)	\$ 415	\$ 261
V6-60AC-HS-1	5862-00	B	1/3-INCH FORMAT; 10x zoom range, f/1.2, CS mount, high-speed	246-42(1)	\$ 853	\$ 536
V6610RP16-OA	4628-30	C	MONITOR OUTPUT PANEL; 16 BNC connectors.	246-42(1)	\$ 197	\$ 124
V6610RP32-IA	4628-20	C	CAMERA INPUT PANEL; 32 BNC connectors.	246-42(1)	\$ 219	\$ 138
V6610RP32-OA	4628-40	C	MONITOR OUTPUT PANEL; 32 BNC connectors.	246-42(1)	\$ 214	\$ 135
V6610RP64-IA	4628-10	C	CAMERA INPUT PANEL; 64 BNC connectors.	246-42(1)	\$ 254	\$ 160
V6610RP64-LA	4629-10	C	CAMERA LOOPING PANEL; 64 channels, 16 D-shell cable connectors.	246-42(1)	\$ 208	\$ 131
V6610S-1A	6023-10	C	VIDEO SWITCHER CARD; switching for 64 camera inputs. Rear connector panels ordered separately.	246-42(1)	\$ 1,423	\$ 895
V6632-AMP-1A	6024-10	C	VIDEO AMPLIFIER BOARD; outputs for monitors 1-16	246-42(1)	\$ 1,152	\$ 724
V6640SEXP16-A	4470-20	C	EXPANDER CARD; 16 channels, for use in serial loop configuration	246-42(1)	\$ 594	\$ 373
V6640SEXP32-A	4470-10	C	EXPANDER CARD; 32 channels, for use in star configuration	246-42(1)	\$ 871	\$ 548
V6650RCP-A	4471-10	C	BLANK REAR CLOSURE PANEL; for unused card positions	246-42(1)	\$ 23	\$ 14
V6670XA-A	4769-20	C	CARD EXTENDER; for AMP/OSD slots (for service)	246-42(1)	\$ 439	\$ 276
V6670XS-A	4769-10	C	CARD EXTENDER; for switcher slots (for service)	246-42(1)	\$ 46	\$ 29
V6680SCC-16-1A	6020-20	C	CARD CAGE (256 x 16); accepts up to 4 switcher cards. Includes motherboard and power supply.	246-42(1)	\$ 3,233	\$ 2,033
V6680SCC-32-1A	6020-30	C	CARD CAGE (128 x 32); accepts up to 4 switcher cards. Includes motherboard and power supply.	246-42(1)	\$ 1,250	\$ 786
V66RC-36	4472-00	C	COAXIAL RIBBON CABLE; 2 D-shell connectors	246-42(1)	\$ 129	\$ 81
V66RCB-24	4473-00	C	COAXIAL RIBBON CABLE; 1 D-shell connector and 8 BNCs	246-42(1)	\$ 129	\$ 81

Vicon's 2006 Price List

Alpha-Numeric Order

Model	Product Code	Country Code	Description	SIN	User	GSA
V700R	8230-00	A	VIDEO RECEIVER; 13 dB	246-42 (1)	\$ 307	\$ 193
V700R-R	8230-02	A	VIDEO RECEIVER; 13 dB, rack mount	246-42 (1)	\$ 307	\$ 193
V700T	8229-00	A	VIDEO TRANSMITTER; 13 dB	246-42 (1)	\$ 253	\$ 159
V700T-R	8229-02	A	VIDEO TRANSMITTER; 13 dB, rack mount	246-42 (1)	\$ 279	\$ 175
V701R	8233-00	A	VIDEO RECEIVER; 13 dB	246-42 (1)	\$ 373	\$ 234
V701R-R	8233-02	A	VIDEO RECEIVER; 13 dB, rack mount	246-42 (1)	\$ 373	\$ 234
V701T	8232-00	A	VIDEO TRANSMITTER; 13 dB	246-42 (1)	\$ 310	\$ 195
V701T-R	8232-02	A	VIDEO TRANSMITTER; 13 dB, rack mount	246-42 (1)	\$ 310	\$ 195
V702R-R	8231-02	A	VIDEO RECEIVER; 2-channels, 2 fibers, 13 dB, rack mount	246-42 (1)	\$ 557	\$ 350
V703R	7209-00	A	VIDEO RECEIVER; 2-channels	246-42 (1)	\$ 759	\$ 477
V703R-R	7209-02	A	VIDEO RECEIVER; 2-channels, rack mount	246-42 (1)	\$ 759	\$ 477
V703T	7208-00	A	VIDEO TRANSMITTER; 2-channels	246-42 (1)	\$ 759	\$ 477
V703T-R	7208-02	A	VIDEO TRANSMITTER; 2-channels, rack mount	246-42 (1)	\$ 759	\$ 477
V707R	8014-00	A	VIDEO RECEIVER; 4-channels	246-42 (1)	\$ 1,411	\$ 887
V707R-R	8014-02	A	VIDEO RECEIVER; 4-channels, rack mount	246-42 (1)	\$ 1,411	\$ 887
V707T	8013-00	A	VIDEO TRANSMITTER; 4-channels	246-42 (1)	\$ 1,411	\$ 887
V707T-R	8013-02	A	VIDEO TRANSMITTER; 4-channels, rack mount	246-42 (1)	\$ 1,411	\$ 887
V725-UPS	8298-10	A	UNINTERRUPTIBLE POWER SUPPLY; desk-top, 725VA/450W, USB control port, 120 VAC input/output	246-42(1)	\$ 193	\$ 121
V72X8-ICPS	4038-00	C	CONTROLS 72 CAMERAS AND 8 MONITORS; includes 1 switcher card cage, V1344SCPU-HDA internal CPU, programming keyboard and 9-inch monochrome monitor	246-42(1)	\$ 8,185	\$ 5,146
V732R	8059-00	A	VIDEO / DATA RECEIVER; single fiber; duplex RS-422; simplex video. For NOVA systems	246-42 (1)	\$ 985	\$ 619
V732R-R	8059-02	A	VIDEO / DATA RECEIVER; single fiber; duplex RS-422; simplex video, rack-mount, for NOVA systems	246-42 (1)	\$ 985	\$ 619
V732T	8058-00	A	VIDEO / DATA TRANSMITTER; single fiber; duplex RS-422; simplex video. For NOVA systems	246-42 (1)	\$ 985	\$ 619
V739R	7211-00	A	BIDIRECTIONAL FIBER-OPTIC RECEIVER; for Vicoax	246-42 (1)	\$ 973	\$ 612
V739R-R	7211-02	A	BIDIRECTIONAL FIBER-OPTIC RECEIVER; for Vicoax, rack mount	246-42 (1)	\$ 973	\$ 612
V739T	7210-00	A	BIDIRECTIONAL FIBER-OPTIC TRANSMITTER; for Vicoax	246-42 (1)	\$ 973	\$ 612
V739T-R	7210-02	A	BIDIRECTIONAL FIBER-OPTIC TRANSMITTER; for Vicoax, rack mount	246-42 (1)	\$ 973	\$ 612
V75T	3260-00	C	75-OHM TERMINATOR; for unused video looping BNCs	246-42 (1)	\$ 6	\$ 4
V75TR-1	4638-00	C	75-OHM TERMINATOR; for use with 16-pin coaxial ribbon cable connectors	246-42(1)	\$ 31	\$ 19
V75TR-1	4638-00	C	75-OHM TERMINATOR; for looping video coaxial ribbon cable connectors; Matrix 44	246-42 (1)	\$ 31	\$ 19
V75TR-SHD	4479-00	C	75-OHM TERMINATOR; for unused looping outputs	246-42(1)	\$ 46	\$ 29
V75TR-SHD	4479-00	C	75-OHM TERMINATOR; for looping video D-shell connectors; Matrix 66	246-42 (1)	\$ 46	\$ 29
V800ACM	1877-06	C	CEILING MOUNT; 7.5 lb load, molded plastic, 6 in. long	246-42 (1)	\$ 37	\$ 23
V80X8-ICPS	4041-00	C	CONTROLS 80 CAMERAS AND 8 MONITORS; includes 1 switcher card cage, V1344SCPU-HDA internal CPU, programming keyboard and 9-inch monochrome monitor	246-42(1)	\$ 8,697	\$ 5,467
V814AWM	6044-00	C	WALL MOUNT; 20 lb load, cast aluminum, 11.6 in long	246-42 (1)	\$ 35	\$ 22
V8540H-SP	6184-00	C	EXPLOSIONPROOF; tubular aluminum	246-42 (1)	\$ 1,247	\$ 784
V8612H	1681-00	C	IN-CEILING; all-plastic construction, tamperproof	246-42 (1)	\$ 113	\$ 71
V8612H-ACP	4115-00	C	2 x 2 FT ADJUSTABLE CEILING PANEL; for V8612H housing, aluminum construction, 360 ° rotation	246-42 (1)	\$ 150	\$ 94
V8-80AC-HS-1	5865-00	B	1/2-INCH FORMAT; 10x zoom range, f/1.4, C mount, high-speed	246-42 (1)	\$ 831	\$ 522
V88X8-ICPS	4044-00	C	CONTROLS 88 CAMERAS AND 8 MONITORS; includes 1 switcher card cage, V1344SCPU-HDA internal CPU, programming keyboard and 9-inch monochrome monitor	246-42(1)	\$ 9,321	\$ 5,860
V894CSH-3312	8763-04	A	INDOOR; 1/3-in. high-resolution color camera with ExView CCD and isolated power input, 3.3-12 mm autoiris varifocal lens, brushed stainless steel finish	246-42 (1)	\$ 717	\$ 451
V894CSH-3312DN	8764-04	A	INDOOR; 1/4-in. day/night high-resolution camera with isolated power input, 3.3-12 mm autoiris varifocal lens, brushed stainless steel finish	246-42 (1)	\$ 831	\$ 522
V894MSH	4004-00	C	MAXIMUM SECURITY; 10-gauge steel, wall or ceiling mount	246-42 (1)	\$ 518	\$ 326
V894PS-12	6161-00	A	POWER SUPPLY; for Roughneck corner and wall mount cameras, converts 120 VAC to 12 VDC; 0.5 amps	246-42 (1)	\$ 40	\$ 25
V894WSH-3312	8765-04	A	INDOOR; 1/3-in. high-resolution color camera with ExView CCD and isolated power input, 3.3-12 mm autoiris varifocal lens, brushed stainless steel finish	246-42 (1)	\$ 717	\$ 451
V894WSH-3312DN	8766-04	A	INDOOR; 1/4-in. day/night high-resolution camera with isolated power input, 3.3-12 mm autoiris varifocal lens, brushed stainless steel finish	246-42 (1)	\$ 831	\$ 522
V896MSH	4005-00	C	MAXIMUM SECURITY; outdoor, 10-gauge steel, ceiling mount	246-42 (1)	\$ 561	\$ 353
V898MSH	4086-00	C	MAXIMUM SECURITY; 10-gauge steel, corner mount	246-42 (1)	\$ 561	\$ 353
V8ACM	2698-00	C	CEILING MOUNT; 20 lb load, aluminum, 9 in. long	246-42 (1)	\$ 43	\$ 27
V8X8-ICPS	4014-00	C	CONTROLS 8 CAMERAS AND 8 MONITORS; includes 1 switcher card cage, V1344SCPU-HDA internal CPU, programming keyboard and 9-inch monochrome monitor	246-42(1)	\$ 4,417	\$ 2,777
V910FF-CA	8456-04	A	SURFACE MOUNT OUTDOOR DOME CAMERA; outdoor includes 1/3-in. high-resolution color camera with ExView high-sensitivity CCD, 2.8 mm varifocal autoiris lens, heater and smoked lower dome	246-42 (1)	\$ 532	\$ 334
V910-W3312V3	8759-25	A	FIXED IP OUTDOOR CAMERA DOME; transmits high-quality video across the network for remote viewing and recording. Compatible with ViconNet (ver 3) Network Video Recorders (NVRs) and workstations. Surface-mount; 1/3-in. ExView color camera and 3.3-12 mm autoiris varifocal lens; heater.	246-42 (1)	\$ 1,643	\$ 1,033
V910-W3312	8759-04	A	SURFACE MOUNT OUTDOOR DOME CAMERA; includes 1/3-in. high-resolution color camera with ExView high-sensitivity CCD and 3.3-12 mm varifocal autoiris lens and heater; 24 VAC	246-42 (1)	\$ 706	\$ 444

Vicon's 2006 Price List

Alpha-Numeric Order

Model	Product Code	Country Code	Description	SIN	User	GSA
V910-W3312DN	8760-04	A	SURFACE MOUNT DAY/NIGHT OUTDOOR DOME CAMERA; includes 1/4-in. high-resolution color/monochrome camera and 3.3-12 mm day/night varifocal autoiris lens and heater; 24 VAC	246-42 (1)	\$ 831	\$ 522
V910-W3312T	8759-44	A	SURFACE MOUNT OUTDOOR DOME CAMERA; includes 1/3-in. high-resolution color camera with ExView high-sensitivity CCD and 3.3-12 mm varifocal autoiris lens and heater; UTP video transmission; 24 VAC	246-42 (1)	\$ 737	\$ 463
V910-W3312DNV3	8760-25	A	FIXED IP OUTDOOR CAMERA DOME; transmits high-quality video across the network for remote viewing and recording. Compatible with ViconNet (ver 3) Network Video Recorders (NVRs) and workstations. Surface-mount; 1/4-in. day/night camera and 3.3-12 mm autoiris varifocal lens; heater.	246-42 (1)	\$ 1,768	\$ 1,112
V910-ICD	8476-10	A	IN-CEILING MOUNTING KIT; for use with V910 Roughneck dome series, for drop ceiling installations	246-42 (1)	\$ 193	\$ 121
V910-ICH	8476-20	A	IN-CEILING MOUNTING KIT; for use with V910 Roughneck dome series, for hard ceiling installations	246-42 (1)	\$ 177	\$ 111
V910-PH	8476-00	A	PENDANT ADAPTER; for use with V910 dome series, adapts V910 to work with with SVFT-UWM, SVT-WM, and SVFT-UCM pendant mounts; indoor/outdoor	246-42 (1)	\$ 50	\$ 31
V910-28V3	8456-25	A	FIXED IP OUTDOOR CAMERA DOME; transmits high-quality video across the network for remote viewing and recording. Compatible with ViconNet (ver 3) Network Video Recorders (NVRs) and workstations. Surface-mount; 1/3-in. ExView color camera and 2.8 mm autoiris fixed lens; heater.	246-42 (1)	\$ 1,469	\$ 924
V926FF-CA	8460-04	A	IN-CEILING DOME CAMERA; outdoor includes 1/3-in. high-resolution color camera with ExView high-sensitivity CCD, 2.8 mm varifocal autoiris lens, heater and smoked lower dome	246-42 (1)	\$ 532	\$ 334
V926-W3312	8757-04	A	IN-CEILING DOME CAMERA; outdoor, includes 1/3-in. high-resolution color camera with ExView high-sensitivity CCD, 3.36-12 mm varifocal autoiris lens, heater and smoked lower dome	246-42 (1)	\$ 706	\$ 444
V926-W3312DN	8758-04	A	IN-CEILING DOME CAMERA; outdoor, includes 1/4-in. high-resolution color/monochrome camera, 3.3-12 mm varifocal day/night autoiris lens, heater and smoked dome	246-42 (1)	\$ 831	\$ 522
V926-W3312T	8757-44	A	IN-CEILING DOME CAMERA; outdoor includes 1/3-in. high-resolution color camera with ExView high-sensitivity CCD, 3.3-12 mm varifocal autoiris lens, heater and smoke lower dome; UTP video transmission.	246-42 (1)	\$ 737	\$ 463
V9312H	6819-00	C	SMALL; 2-piece hinged aluminum	246-42 (1)	\$ 102	\$ 64
V9312H-HS-24	6819-02	C	SMALL; 2-piece hinged aluminum, sunshield and 24 VAC heater included	246-42 (1)	\$ 202	\$ 127
V9315HC-HS	6075-00	C	MEDIUM; 2-piece hinged aluminum, sunshield, 24 VAC transformer, and 120 VAC heater included	246-42 (1)	\$ 227	\$ 142
V9315H-HS-24	6075-02	C	MEDIUM; 2-piece hinged aluminum, sunshield and 24 VAC heater included	246-42 (1)	\$ 220	\$ 139
V9315H-WH-24	6078-02	C	MEDIUM; 2-piece hinged aluminum, 24 VAC heater and wiper included	246-42 (1)	\$ 281	\$ 176
V9317HC-SHB	6077-00	C	MEDIUM; 2-piece hinged aluminum, 120 VAC blower/heater, sunshield, and 24 VAC camera transformer included	246-42 (1)	\$ 290	\$ 182
V9317H-SHB-24	6077-02	C	MEDIUM; 2-piece hinged aluminum, 24 VAC blower/heater and sunshield included	246-42 (1)	\$ 284	\$ 178
V96X8-ICPS	4047-00	C	CONTROLS 96 CAMERAS AND 8 MONITORS; includes 1 switcher card cage, V1344SCPU-HDA internal CPU, programming keyboard and 9-inch monochrome monitor	246-42(1)	\$ 9,740	\$ 6,124
VC2150A-24	6574-04	C	1/3-INCH FORMAT; 24 VAC with linear shutter, 380 lines resolution	246-42 (1)	\$ 177	\$ 111
VC2430A-24	6575-04	C	1/3-INCH FORMAT; 24 VAC with linear shutter, high-resolution (580 lines)	246-42 (1)	\$ 250	\$ 157
VC24PS-1	4297-00	A	POWER SUPPLY; converts 120 VAC to 24 VAC	246-42 (1)	\$ 19	\$ 12
VC355-DSP	8308-04	C	1/3-INCH FORMAT; 24 VAC, 330 TVL (0.2 lux)	246-42 (1)	\$ 250	\$ 157
VC365-DSP	8309-04	C	1/3-INCH FORMAT; high-resolution color, 480 TVL (0.4 lux)	246-42 (1)	\$ 290	\$ 182
VC465-DSP	8311-04	C	1/3-INCH FORMAT; high-resolution color; 480 TVL (0.2 lux) ExView CCD	246-42 (1)	\$ 385	\$ 242
VC565DN	8385-04	C	DAY/NIGHT CAMERA; 1/3-in. format, 24 VAC high-resolution color/monochrome operation; 480 TVL (day) and 580 TVL (night) horizontal resolution	246-42 (1)	\$ 486	\$ 305
VC-600	8785-04	A	3-INCH CAMERA DOME; color, 3.3-12 mm varifocal autoiris lens, 550 HTVL, INT/LL, 12VDC/24VAC isolated power supply	246-42 (1)	\$ 407	\$ 256
VC-600-PLATE	8785-30	A	ADAPTER PLATE; to mount the VC-600/VC-610 into a 4 x 4 in. electrical box	246-42 (1)	\$ 19	\$ 12
VC-600W	8786-24	C	OUTDOOR 3-INCH CAMERA DOME; color, 3.3-12 mm varifocal autoiris lens, 550 HTVL, INT/LL, 12VDC/24VAC isolated power supply	246-42 (1)	\$ 504	\$ 317
VC-600WDN	8786-44	C	OUTDOOR 3-INCH CAMERA DOME; day/night, color, 3.3-12 mm varifocal autoiris lens, 550 HTVL, INT/LL, 12VDC/24VAC isolated power supply	246-42 (1)	\$ 593	\$ 373
VC-600WIR	8979-04	C	OUTDOOR 3-INCH CAMERA DOME; IR illuminated, color, 3.7 mm fixed lens, 550 HTVL, day/night, INT/LL, 12VDC/24VAC isolated power supply	246-42 (1)	\$ 551	\$ 346
VC-610	8785-14	A	3-INCH CAMERA DOME; color, 3.3-12 mm varifocal autoiris lens, 480 HTVL, Wide Dynamic Range, INT/LL, 12VDC/24VAC isolated power supply	246-42 (1)	\$ 614	\$ 386
VC-610W	8786-34	C	OUTDOOR 3-INCH CAMERA DOME; wide dynamic range, color, 3.3-12 mm varifocal autoiris lens, 480 HTVL, INT/LL, 12VDC/24VAC isolated power supply	246-42 (1)	\$ 657	\$ 413
VC-620	8786-04	C	OUTDOOR; 1/3-in. day/night color camera and 3.3-12 mm autoiris varifocal lens; 550 TVL resolution, 12 VDC/24 VAC; IR illumination; metallic gray aluminum	246-42 (1)	\$ 594	\$ 373
VC-621	8786-14	C	OUTDOOR; 1/3-in. day/night color camera and 5-50 mm autoiris varifocal lens; 550 TVL resolution, 12 VDC/24 VAC; IR illumination; metallic gray aluminum	246-42 (1)	\$ 1,384	\$ 870
VC-630	8787-04	C	1/3-INCH FORMAT; DSP, 3.3-12 mm autoiris varifocal lens, 480 TVL (0.2 lux), 12 VDC/24 VAC	246-42 (1)	\$ 407	\$ 256
VC-632	8787-24	C	WIDE DYNAMIC RANGE DAY/NIGHT CAMERA, color/monochrome operation, C/CS mount, 480 HTVL, INT/LL, 12 VDC/24 VAC isolated power supply	246-42 (1)	\$ 583	\$ 366
VCR480TL	7876-05	Country Code	VIDEO CASSETTE RECORDER; 480 hour time-lapse	246-42 (1)	\$ 615	\$ 387
VCR-RK-1	8107-00	A	RACK KIT; for mounting VCR480TL	246-42 (1)	\$ 102	\$ 64
VDA8-16	8795-00	C	VIDEO DISTRIBUTION AMPLIFIER; 8 input x 2 output or 2 input x 8 output configurations; rack mount	246-42 (1)	\$ 231	\$ 145
VDR-204-12CD	8782-00	C	4-CHANNEL DIGITAL VIDEO RECORDER; 120 GB hard drive, 30 fps, CD/RW, PTZ control, audio; network control and viewing software included	246-42(1)	\$ 1,927	\$ 1,212

Vicon's 2006 Price List

Alpha-Numeric Order

Model	Product Code	Country Code	Description	SIN	User	GSA
VDR-204-30CD	8783-00	C	4-CHANNEL DIGITAL VIDEO RECORDER; 300 GB hard drive, 30 fps, CD/RW, PTZ control, audio; network control and viewing software included	246-42(1)	\$ 2,282	\$ 1,434
VDR-208-30CD	8967-00	C	8-CHANNEL DIGITAL VIDEO RECORDER; 300 GB hard drive, 30 fps, CD/RW, PTZ control, audio; network control and viewing software included	246-42(1)	\$ 3,114	\$ 1,958
VF-1400R	8421-00	A	VIDEO / DATA RECEIVER; for use with SurveyorVFT fiber domes only. Single fiber; duplex RS-422; simplex video.	246-42 (1)	\$ 985	\$ 619
VF-1400RR	8421-02	A	VIDEO / DATA RECEIVER (RACK MODULE); for use with SurveyorVFT fiber domes only. Single fiber; duplex RS-422; simplex video. Use with VF-SR20/2 rack only.	246-42 (1)	\$ 985	\$ 619
VF-BPS-1	8424-00	A	BLANK PANEL; for use with VF-SR20/2 Rack	246-42 (1)	\$ 27	\$ 17
VF-SR20/2	8423-00	A	RACK; for use with VF-1400 series receivers, 14 slots, includes 100 W power supply; blank panels are VF-BPS-1 (below)	246-42 (1)	\$ 1,327	\$ 834
VGZ-1000	8958-10	A	PC-TO-TV CONVERTER; self-powered USB interface, VGA in and VGA out connections, composite and S-video (NTSC) output	246-42(1)	\$ 157	\$ 99
VIST25-VP	5850-03	C	25 LB LOAD; outdoor, variable speed with preset operation	246-42 (1)	\$ 1,352	\$ 850
VIST25-VRP	5850-05	C	25 LB LOAD; outdoor, variable speed with continuous rotation and preset operation	246-42 (1)	\$ 1,873	\$ 1,178
VIST35	5849-00	C	35 LB LOAD; outdoor	246-42 (1)	\$ 977	\$ 614
VIST35-AP	6476-00	C	35 LB LOAD; outdoor, with autopan	246-42 (1)	\$ 1,040	\$ 654
VIST35-P	5849-03	C	35 LB LOAD; outdoor, with preset operation	246-42 (1)	\$ 1,248	\$ 785
#REF!	#REF!	#REF!	#REF!	#REF!	#REF!	#REF!
#REF!	#REF!	#REF!	#REF!	#REF!	#REF!	#REF!
#REF!	#REF!	#REF!	#REF!	#REF!	#REF!	#REF!
VM6092RK	4965-00	C	DUAL RACK-MOUNTING KIT; for two VM6093 monitors	246-42 (1)	\$ 102	\$ 64
VM6093	7874-00	B	9-INCH SCREEN; 280 lines resolution	246-42 (1)	\$ 831	\$ 522
VM614-3	7465-10	C	14-INCH SCREEN; 400 lines resolution; NTSC/PAL	246-42 (1)	\$ 518	\$ 326
VM61514-5-MM	8077-10	A	MONITOR MOUNT; for VM614-3 and VM615-5 monitors. May be mounted to ceiling with V1502CA ceiling mount or to a wall with V1501WM wall mount.	246-42 (1)	\$ 456	\$ 287
VM615-5	8392-00	C	15-INCH SCREEN; high resolution (650 TV lines); NTSC/PAL	246-42 (1)	\$ 769	\$ 484
VM615-5-RK	8061-20	C	SINGLE RACK-MOUNTING KIT; for VM615-5 monitor	246-42 (1)	\$ 129	\$ 81
VM-617LCD	8776-20	C	17-INCH FLAT PANEL; resolution up to 1280 x 1024 (depending on scan rate); VGA, BNC, or S-Video video input and output; accepts NTSC/PAL	246-42(1)	\$ 1,303	\$ 819
VM-619LCD	8776-30	C	19-INCH FLAT PANEL; resolution up to 1280 x 1024 (depending on scan rate); VGA, BNC, or S-Video video input and output; accepts NTSC/PAL	246-42(1)	\$ 1,551	\$ 975
VM621-5	8393-00	C	21-INCH SCREEN; high resolution (450 TV lines); NTSC/PAL	246-42 (1)	\$ 657	\$ 413
VM621-5-MM	7297-20	A	MONITOR MOUNT; for VM621-5 monitor. May be mounted to ceiling with V1502CA ceiling mount or to a wall with V1501WM wall mount.	246-42 (1)	\$ 456	\$ 287
VN1000-SM	8268-00	A	VICONNET SOFTWARE MAINTENANCE; for ViconNet VN1000V3/VN-NVR Master Workstations and Software. Includes all ViconNet software patches released by Vicon for the original revision within the period of one year from date of purchase. All patches are approved and released at the sole discretion of the Company. (One user license)	246-42(1)	\$ 45	\$ 28
VN1000V3	8797-00	A	VICONNET NVR AND WORKSTATION SOFTWARE; for use with ViconNet 3.0 Digital Recorders, Video Servers and ViconNet IP Cameras. Single PC license.	246-42(1)	\$ 2,074	\$ 1,304
VN1000V3-10	8797-50	A	VICONNET MULTI-PACK; 10 user license pack of VN1000V3 NVR software.	246-42(1)	\$ 12,438	\$ 7,820
VN100V3	8797-10	A	VICONNET 4-CHANNEL VIEWER SOFTWARE; Ver 3. Single PC license.	246-42(1)	\$ 193	\$ 121
VN-17FLT	8237-05	A	17-IN. S-VGA TFT LCD MONITOR; for use with Kollektor Elite and Kollektor Pro Recorders and VN-NVR Workstation	246-42(1)	\$ 1,002	\$ 630
VN-30ITV3	8479-25	F	VICONNET 1-CHANNEL VIDEO SERVER; accepts 1 analog video input for transmission over TCP/IP network (30 fps total). Includes ViconNet VN100V3 4-channel viewing software.	246-42(1)	\$ 1,240	\$ 779
VN500-SM	8269-00	A	VICONNET SOFTWARE MAINTENANCE; for ViconNet VN500V3 16-Channel Viewer. Software includes all ViconNet software patches released by Vicon for the originally purchased revision within the period of one year from date of purchase. All patches are approved and released at the sole discretion of the Company. (One user license)	246-42(1)	\$ 25	\$ 16
VN500V3	8797-20	A	VICONNET 16-CHANNEL VIEWER SOFTWARE; Ver 3. Single PC license.	246-42(1)	\$ 831	\$ 522
VN-755IPV3	8475-24	C	IP CAMERA/4-CHANNEL VIDEO SERVER; 1/3-inch CCD; 480 TVL horizontal resolution. Fully compatible with ViconNet systems. Allows connecting 3 additional external analog cameras. Video transmission over TCP/IP network (30 fps for camera; 15 fps as server). Includes ViconNet VN100V3 4-channel viewer software.	246-42(1)	\$ 1,657	\$ 1,042
VN-755IPV3	8475-24	C	IP CAMERA/4-CHANNEL VIDEO SERVER; 1/3-inch CCD; 480 TVL horizontal resolution. Fully compatible with ViconNet version 3 systems. Allows connecting 3 additional external analog cameras. Video transmission over TCP/IP network (30 fps for camera; 15 fps as server). Includes ViconNet 4-channel viewer software. Use with S24PS power supply.	246-42 (1)	\$ 1,657	\$ 1,042
VN-755-KIT	8775-00	C	ALARM/AUDIO ACCESSORY KIT FOR VN-755IP; provides for alarm and audio capability	246-42(1)	\$ 19	\$ 12
VN-755-KIT	8775-00	C	ALARM/AUDIO ACCESSORY KIT FOR VN-755IP; provides for alarm and audio capability	246-42 (1)	\$ 19	\$ 12
VN-HIRSCH-INT	9101-00	A	VICONNET-HIRSCH INTEGRATION SOFTWARE; to use ViconNet on a Hirsch Velocity access control workstation	246-42(1)	\$ 6,167	\$ 3,877
VN-KE-SE	8251-00	A	VICONNET SOFTWARE ENHANCEMENTS; for Kollektor Elite Recorders. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)	246-42(1)	\$ 395	\$ 248
VN-KE-SM	8266-00	A	VICONNET SOFTWARE MAINTENANCE; for Kollektor Elite Recorders. Includes all ViconNet software patches released by Vicon for the original revision within the period of one year from date of purchase. All patches are approved and released at the sole discretion of the Company. (One user license)	246-42(1)	\$ 95	\$ 60

Vicon's 2006 Price List
Alpha-Numeric Order

Model	Product Code	Country Code	Description	SIN	User	GSA
VN-KN-SE	8251-10	A	ViconNet SOFTWARE ENHANCEMENTS; for Collector Network Server. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)	246-42(1)	\$ 225	\$ 141
VN-KPR-SE	8252-00	A	VICONNET SOFTWARE ENHANCEMENTS; for Collector Pro Recorders. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)	246-42(1)	\$ 295	\$ 185
VN-KPR-SM	8267-00	A	VICONNET SOFTWARE MAINTENANCE; for Collector Pro Recorders. Includes all ViconNet software patches released by Vicon for the original revision within the period of one year from date of purchase. All patches are approved and released at the sole discretion of the Company. (One user license)	246-42(1)	\$ 85	\$ 53
VN-MON	8222-00	A	17-IN. S-VGA CRT MONITOR; for use with Collector Elite and Collector Pro Recorders and VN-NVR Workstation.	246-42(1)	\$ 407	\$ 256
VN-NVR-1200	8961-30	A	NETWORK VIDEO RECORDER; preloaded ViconNet Ver 3, view, record and configure ViconNet IP devices and recorders; 1200 GB internal HDD storage	246-42(1)	\$ 10,221	\$ 6,426
VN-NVR-1600	8961-40	A	NETWORK VIDEO RECORDER; preloaded ViconNet Ver 3, view, record and configure ViconNet IP devices and recorders; 1600 GB internal HDD storage	246-42(1)	\$ 11,871	\$ 7,463
VN-NVR-80	8961-00	A	NETWORK VIDEO RECORDER; preloaded ViconNet Ver 3, view, record and configure ViconNet IP devices and recorders; 80 GB internal HDD storage	246-42(1)	\$ 5,199	\$ 3,268
VN-NVR-800	8961-20	A	NETWORK VIDEO RECORDER; preloaded ViconNet Ver 3, view, record and configure ViconNet IP devices and recorders; 800 GB internal HDD storage	246-42(1)	\$ 8,530	\$ 5,363
VN-RAIDA-16-160	8485-01	A	16-BAY RAID STORAGE UNIT; used with Collector Elite and Pro Recorders. Provides RAID 3 protection, includes sixteen 160 GB hot swappable hard drives.	246-42(1)	\$ 18,634	\$ 11,715
VN-RAIDA-16-250	8485-11	A	16-BAY RAID STORAGE UNIT; used with Collector Elite and Pro Recorders. Provides RAID 3 protection, includes sixteen 250 GB hot swappable hard drives.	246-42(1)	\$ 22,448	\$ 14,113
VN-RAIDA-8-250	8484-30	A	8-BAY RAID STORAGE UNIT; used with Collector Elite and Pro Recorders. Provides RAID 3 protection, includes eight 250 GB hot swappable hard drives.	246-42(1)	\$ 11,905	\$ 7,484
VN-SW-1000-SE	8253-00	A	VICONNET SOFTWARE ENHANCEMENTS; for ViconNet VN1000/5000 Master Workstations and Software. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)	246-42(1)	\$ 95	\$ 60
VN-SW-500-SE	8254-00	A	VICONNET SOFTWARE ENHANCEMENTS; for ViconNet VN500 16-Channel Viewer Software. Includes ViconNet software released by Vicon within the period of one year from date of purchase. All revisions are approved and released at the sole discretion of the Company. (One user license)	246-42(1)	\$ 29	\$ 18
VOP-CP1	2862-00	A	BLANK FILLER PANEL; for rack, 1-inch wide	246-42 (1)	\$ 37	\$ 23
VOPPS-120DC	5940-00	A	POWER SUPPLY; 120 VAC to 12 VDC	246-42 (1)	\$ 52	\$ 33
VOPPS-120HDC	5941-00	A	POWER SUPPLY; 120 VAC to 12 VDC, high output	246-42 (1)	\$ 93	\$ 58
VP8-CP-1	3096-00	C	CLOSURE PANEL; single width closure panel for VP8RK	246-42 (1)	\$ 12	\$ 8
VP8-CP-2	3097-00	C	CLOSURE PANEL; double width closure panel for VP8RK	246-42 (1)	\$ 22	\$ 14
VP8RK	3095-00	C	RACK; accepts any combination of Phase 8 modules totaling eight single-width units	246-42 (1)	\$ 76	\$ 47
VSCM-200	8342-00	A	RS-422 DUAL INPUT CODE MERGER; merges control data from two separate control systems into one device	246-42(1)	\$ 885	\$ 556